


Material Cu-Ni 90/10 and Cu-Ni 70/30 Seamless Pipe										
Diameter Size			ASTM B466							
			Schedule 5S				Schedule 10S			
Nominal	Actual OD		Wall Thickness, t		Theo. Weight		Wall Thickness, t		Theo. Weight	
Inch	Inch	mm	Inch	mm	Lb/Ft	Kg/M	Inch	mm	Lb/Ft	Kg/M
1/8	0.405	10.29	-	-	-	-	0.049	1.24	0.19	0.28
1/4	0.540	13.72	-	-	-	-	0.065	1.65	0.33	0.49
3/8	0.675	17.15	-	-	-	-	0.065	1.65	0.42	0.63
1/2	0.840	21.34	0.065	1.65	0.54	0.80	0.083	2.11	0.67	1.00
3/4	1.050	26.67	0.065	1.65	0.69	1.03	0.083	2.11	0.86	1.28
1	1.315	33.40	0.065	1.65	0.87	1.30	0.109	2.77	1.40	2.09
1 1/4	1.660	42.16	0.065	1.65	1.11	1.65	0.109	2.77	1.81	2.70
1 1/2	1.900	48.27	0.065	1.65	1.28	1.91	0.109	2.77	2.09	3.11
2	2.375	60.32	0.065	1.65	1.61	2.40	0.109	2.77	2.64	3.93
2 1/2	2.875	73.03	0.083	2.11	2.48	3.69	0.120	3.05	3.53	5.26
3	3.500	88.90	0.083	2.11	3.03	4.51	0.120	3.05	4.33	6.45
3 1/2	4.000	101.60	0.083	2.11	3.48	5.18	0.120	3.05	4.97	7.40
4	4.500	114.30	0.083	2.11	3.92	5.84	0.120	3.05	5.61	8.36
5	5.563	141.30	0.109	2.77	6.36	9.47	0.134	3.40	7.77	11.57
6	6.625	168.30	0.109	2.77	7.60	11.32	0.134	3.40	9.29	13.84
8	8.625	219.10	0.109	2.77	9.93	14.79	0.148	3.76	13.40	19.96
10	10.750	273.05	0.134	3.40	15.19	22.63	0.165	4.19	18.65	27.78
12	12.750	323.9	0.156	3.96	20.98	31.25	0.180	4.57	24.17	36.00



Thai Nair Wu Jin CO., LTD.

224/50-52 Larnluang Road, Klong Mahanak, Pomprab,
 Bangkok 10100, Thailand
 T: (+662)281-4707 282-3822
 E: info@thaiwujin.com



Material Cu-Ni 90/10 and Cu-Ni 70/30 Seamless Pipe										
Diameter Size			ASTM B466							
			Schedule 40S				Schedule 80S			
Nominal	Actual OD		Wall Thickness, t		Theo. Weight		Wall Thickness, t		Theo. Weight	
Inch	Inch	mm	Inch	mm	Lb/Ft	Kg/M	Inch	mm	Lb/Ft	Kg/M
1/8	0.405	10.29	0.068	1.73	0.24	0.37	0.095	2.41	0.31	0.47
1/4	0.540	13.72	0.088	2.24	0.42	0.63	0.119	3.02	0.54	0.80
3/8	0.675	17.15	0.091	2.31	0.57	0.84	0.126	3.20	0.74	1.10
1/2	0.840	21.34	0.109	2.77	0.85	1.27	0.147	3.73	1.09	1.62
3/4	1.050	26.67	0.113	2.87	1.13	1.69	0.154	3.91	1.47	2.20
1	1.315	33.40	0.133	3.38	1.68	2.50	0.179	4.55	2.17	3.24
1 1/4	1.660	42.16	0.140	3.56	2.27	3.39	0.191	4.85	3.00	4.47
1 1/2	1.900	48.27	0.145	3.68	2.72	4.05	0.200	5.08	3.63	5.41
2	2.375	60.32	0.154	3.91	3.65	5.44	0.218	5.54	5.02	7.48
2 1/2	2.875	73.03	0.203	5.16	5.79	8.63	0.276	7.01	7.66	11.41
3	3.500	88.90	0.216	5.49	7.58	11.29	0.300	7.62	10.25	15.27
3 1/2	4.000	101.60	0.226	5.74	9.11	13.57	0.318	8.08	12.51	18.63
4	4.500	114.30	0.237	6.02	10.79	16.07	0.337	8.56	14.98	22.32
5	5.563	141.30	0.258	6.55	14.62	21.77	0.375	9.53	20.78	30.97
6	6.625	168.30	0.280	7.11	18.97	28.26	0.432	10.97	28.57	42.56
8	8.625	219.10	0.322	8.18	28.55	42.55	0.500	12.70	43.39	64.64
10	10.750	273.05	0.365	9.27	40.48	60.31	0.500	12.70	54.74	96.01